

# CLEAR UNREINFORCED PVC HOSE C SERIES



Clear PVC hose suitable for both low pressure food and industrial applications. It is manufactured from the highest quality, low-toxic materials to give excellent clarity, flexibility and durability over a wide temperature range.

## Key Features:

- Glass clear transparency for easy visibility.
- Excellent abrasion and corrosion properties for increased durability.
- Good flexibility for ease of use.
- Manufactured from cadmium and silicone-free materials using a special low toxic, odourless PVC formulation that can reduce the taint of drinking water.
- EU No.10/2011 compliant for food contact applications.
- RoHS 3 compliant.
- Suitable for use with alcohol, petrol, oils, greases and solvents.
- Highly resistant to a wide range of acids and alkalis.
- Service temperature = -15°C to + 60°C.
- NSF51 + NSF61 approved for the transfer of drinking water.

## Sizes:

Available in 30m coils - 3mm-50mm ID

## Colours:

Clear

Custom sizes and colours (translucent and opaque) available on request subject to minimum order quantity





## 1. Phthalate free PVC



## Applications:

- Medical
- Scientific
- Pharmaceutical
- Industrial



Product Ref	Internal Diameter	External Diameter	Weight per Metre	Bend Radius
C03/6	3mm	6mm	0.030 Kg	54mm
C04/6	4mm	6mm	0.023 Kg	54mm
C05/8	5mm	8mm	0.035 Kg	72mm
C06/9	6mm	9mm	0.044 Kg	81mm
C08/11	8mm	11mm	0.065 Kg	99mm
C08/14	8mm	14mm	0.139 Kg	126mm
C10/13	10mm	13mm	0.078 Kg	117mm
C10/16	10mm	16mm	0.164 Kg	144mm
C12/15	12mm	15mm	0.092 Kg	135mm
C12/18	12mm	18mm	0.163 Kg	162mm



Product Ref	Internal Diameter	External Diameter	Weight per Metre	Bend Radius
C16/19	16mm	19mm	0.122 Kg	171mm
C16/22	16mm	22mm	0.220 Kg	198mm
C19/22	19mm	22mm	0.151 Kg	198mm
C19/25	19mm	25mm	0.262 Kg	225mm
C22/28	22mm	28mm	0.325 Kg	252mm
C25/31	25mm	31mm	0.320 Kg	279mm
C32/42	32mm	42mm	0.640 Kg	378mm
C38/48	38mm	48mm	1.000 Kg	432mm
C50/61.5	50mm	61.5mm	1.208 Kg	554mm