RUBBER WATER HOSE RWH Series









A black heat, ozone and weather resistant EPDM rubber hose for conveying hot and cold water in all applications.

Manufactured from heat resistant EPDM rubber with high tensile synthetic textile reinforcement. Black, smooth, flexible rubber hose specially designed for refrigerants.

For use throughout industry where engine cooling with closed cooling systems is required. Capable of withstanding hot oil spray where this applies. Normally installed using hose clamps. Suitable for use at temperatures from -40°C to +120°C. Compliant with SAEJ 20R3.

Key Features:

- EPDM Rubber.
- Wide temperature range.
- SAEJ20R3 compliant.
- Service temperature -40°C to +120°C.

Sizes:

Available in 20m coils 10mm - 25mm ID

Colours:

Black



- 1. EPDM Rubber inner
- 2. Polyester fibre reinforcement
- 3. EPDM Rubber outer



Applications:

- Water delivery hose
- Industrial use













Product Ref	Internal Diameter	External Diameter	Maximum Working Pressure	Minimum Burst Pressure	Weight per Metre	Bend Radius (Approx.)
RWH10	10mm (3/8")	17mm	10 Bar	30 Bar	0.29 Kg	70mm
RWH13	13mm (1/2")	20mm	10 Bar	30 Bar	0.43 Kg	85mm
RWH19	19mm (3/4")	28mm	10 Bar	30 Bar	0.7 Kg	170mm
RWH25	25mm (1")	34mm	10 Bar	30 Bar	1 Kg	250mm