

RUBBER WATER HOSE

RWH Series

Copely



A versatile rubber water hose for the use of conveying hot and cold water in all applications. Manufactured from heat, ozone and weather resistant EPDM rubber. Suitable for temperatures up to +120°C and sub-zero temperatures as low as -40°C. Compliant with SAEJ20R3 for use as a radiator hose in automotive and stationary engine applications.

Key Features:

- Resistant to ozone, heat and weathering.
- Good abrasion resistance.
- Compliant with SAEJ20R3
- Resistant to hot oil spray and all engine coolants.
- Excellent kink resistance
- DEHP, Phthalate free and RoHS3 compliant.
- Wide temperature range: -40°C – +120°C

Sizes:

- 10mm – 25mm ID available from stock in 20m coils

Colours:

- Black



1. EPDM Rubber inner
2. Polyester fibre reinforcement
3. EPDM Rubber outer



Applications:

- Water delivery
- Engine cooling systems
- Slurry handling
- Boilers and Heating systems

Product Ref	Internal Diameter	External Diameter	Maximum Working Pressure	Minimum Burst Pressure	Weight per Metre	Bend Radius (Approx.)
RWH10	10 mm (3/8")	17 mm	10 Bar	30 Bar	0.29 Kg	70 mm
RWH13	13 mm (1/2")	20 mm	10 Bar	30 Bar	0.43 Kg	85 mm
RWH19	19 mm (3/4")	28 mm	10 Bar	30 Bar	0.7 Kg	170 mm
RWH25	25 mm (1")	34 mm	10 Bar	30 Bar	1 Kg	250 mm